


Product Specification

Description	LED Amusement Lamp
Model NO	YJLED-008-ST8RGB


Product Picture



Ip44 C €



Product Application



Amusement LED Lamps are widely used in the park, Theme park, amusement park and all kinds of amusement machines



SHENZHEN AGLARE LIGHTING CO., LTD

Web : www.aglare.cn/ www.amusementlamp.com

Email : aglare@aglare.cn


Tel : +86-75588868631

Product Structure

SIDE




TOP




BOTTOM



Product Material



Product size




Product Parameters


Part No.	Voltage	Color	Watts	LEDs	IP	Beam angle	Weight
YJLED-008-ST8RGB	AC24V		max1.3W	8pcs 5050	Ip44	120°	6.2g

R: 625-630nm G: 520-525nm B: 465-470nm Y: 585-595nm O: 600-605nm P: 390-410nm


Product Installation




Turn off the power



Drill hole ($\varnothing=16\text{mm}\sim 18\text{mm}$)
(A to A=100mm~200mm)




Through the lamp into the hole
According to the order of 1-16



Use screws to fix the base .



The lamp housing and lamp are
installed into E10 lampholder.



Install the upper cover.




SHENZHEN AGLARE LIGHTING CO., LTD
Web: www.aglare.cn / www.amusementlamp.com
Email: aglare@aglare.cn
Tel: +86-75588868631

Product Wiring Diagram


Mode1

AC24V Input



Mode1


AC24V Input



NOTE:

- 1 The power of the lamp is max1.3W;input voltageAC24V
- 2 The main wire is recommended for each square MM maximum 10A current
- 3 Non overload use

Product Package



WEIGHT/PCS	Blister Size	G. W	PCS/CARTON	CARTON SIZE
6.2g	60*28.8*7cm	13.4KG	1003	61*36*38cm

Instructions:

K=K Material Carton
PVC blister box

Caution

Please read the specification before used:

Working temperature range -25°C – 45°C

Working voltage range less than+ $_{-}10\%$

Please turn off the power before installation



SHENZHEN AGLARE LIGHTING CO., LTD

Web: www.aglare.cn/ www.amusementlamp.com

Email: aglare@aglare.cn

Tel: +86-75588868631